

This declaration of Conformity is issued under the sole responsibility of the manufacturer

The designated product(s) is (are) in conformity with the provisions of the following European Legislation:

2014/35/EU & amendments Directive 2014/35/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member

States relating to the making available on the market of electrical equipment designed for use within certain voltage

Directive 2014/30/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member

States relating to electromagnetic compatibility

2009/125/EC & amendments Directive of the European Parliament and of the Council of 21 October 2009 on the establishing a framework for the setting of ecodesign

requirements for energy-related products.

2011/65/EU & amendments Directive of the European Parliament and of the Council of 6 June 2011on the restriction of the use of certain hazardous substances in electrical

2019/2020/EU & amendments Commision regulation (EU) 2019/2020 Laying down ecodesign requirements for light sources and separate control gears (Single Lighting

Regulation)

Product(s): See attached pages

Type Designation:

2014/30/EU & amendments

Start Spot G4 Recessed Product Range

The conformity of the designated products(s) with the provisions of the EU Legislation is given by compliance with the following European

standard(s) (the latest amendment applies in any case).

Applicable Standards:

EN IEC 60598-1:2021 Luminaires - Part 1: General requirements and tests.

EN 60598-2-2:2012 Luminaires - Part 2.2: Particular requirements for recessed Luminaires.

EN 62493:2015 Assessment of lighting equipment related to human exposure to electromagnetic fields.

Photobiological safety of lamps and lamp systems. EN 62471:2008

Limits and methods of measurement of radio disturbance characteristics of electric lighting and similar equipment. EN IEC 55015:2019+A11:2020 EN IEC 61000-3-2:2019+A1:2021 Electromagnetic compatability (EMC) – limits for harmonic current emissions (equipment input current</= 16A per phase).

EN 61000-3-3:2013+A1:2019 Electromagnetic compatibility (EMC) - limits of voltage changes. Voltage fluctuations and flicker in public low voltage supply system, for

equipment with rated </=16A per phase and not subjected to conditional connection.

EN 61547:2009 Equipment for general lighting purposes – EMC imunity requirements.

EN IEC 63000:2018 Technical document for the assessment of electrical & electronic products with respect to the restriction of hazardous substances

CE first affixed: Date of issue: 21/06/2023

TDF-NEW-22-508-Start Spot G4 Recessed Refers

Feilo Sylvania International Group Kft. Duna Tower - Building B, 3rd Floor 22 Nepfurdo Street Budapest H-1138 Hungary

Page 1 of 2

Lumiance

Concord

Nigel Box Technical Director

NEW-EC DoC-22-508NES-Start Spot G4 Recessed-G



Revision History:

Revision	Date	Subject
Α	24/05/22	EC DoC created from AEC TDF 22-508
В	31/07/22	Addition of items 0005509 and 0005510
С	22/08/22	Addition of items 0005586,0005587 Description of 005494,0005509 and 0005510 corrected
D	12/09/22	Addition of items 0005564 and 0005565
E	07/11/22	Addition of item 0090011 to 009031
F	12/05/23	Addition of item 0090032 to 009035
G	21/06/23	Addition of items 0090036,37. RoHs standard updated

<u>Item</u>	<u>Description</u>
0005488	START SPOT 500LM 830 IP44 WHT
0005489	START SPOT 520LM 840 IP44 WHT
0005490	START SPOT 560LM 830 IP65 WHT
0005491	START SPOT 610LM 840 IP65 WHT
0005492	START SPOT 510LM 830 IP44 DIM WHT
0005493	START SPOT 550LM 840 IP44 DIM WHT
0005494	START SPOT 580LM 830 IP65 DIM WHT
0005495	START SPOT 600LM 840 IP65 DIM WHT
0005509	ST SPT 550LM 3CCT DIM IP44 WH
0005510	ST SPT 620LM 3CCT DIM IP65 WH
0005564	ST SPT 500LM 3CCT IP44 WH
0005565	ST SPT 610LM 3CCT IP65 WH
0005586	START Spot Bezel Silver 3x
0005587	START Spot Bezel Black 3x
0090011	SYLSPOT 500LM 830 IP44 WHT
0090012	SYLSPOT 500LM 840 IP44 WHT
0090013	SYLSPOT 500LM 865 IP44 WHT
0090014	SYLSPOT 500LM 830 IP65 WHT
0090015	SYLSPOT 500LM 840 IP65 WHT
0090016	SYLSPOT 500LM 865 IP65 WHT
0090017	SYLSPOT 550LM 3-CCT IP65 DIM WHT
0090018	SYLSPOT 550LM 3-CCT IP44 DIM WHT
0090020	SYLSPOT 500LM 830 IP44 WHT 3-PACK
0090021	SYLSPOT 500LM 840 IP44 WHT 3-PACK
0090022	SYLSPOT 500LM 830 IP65 WHT 3-PACK
0090023	SYLSPOT 500LM 840 IP65 WHT 3-PACK
0090024	SYLSPOT 500LM 830 IP44 WHT 6-PACK
0090025	SYLSPOT 500LM 840 IP44 WHT 6-PACK
0090026	SYLSPOT 500LM 830 IP65 WHT 6-PACK
0090027	SYLSPOT 500LM 840 IP65 WHT 6-PACK
0090028	SYLSPOT 550LM 3-CCT IP65 DIM BLCK
0090029	SYLSPOT 550LM 3-CCT IP44 DIM BLCK
0090030	SYLSPOT 550LM 3-CCT IP44 D WH 3-PACK
0090031	SYLSPOT 550LM 3-CCT IP65 D WH 3-PACK
0090032	SYLSPOT 500LM 830 IP44 WHT 12-PACK
0090033	SYLSPOT 500LM 840 IP44 WHT 12-PACK
0090034	SYLSPOT 500LM 830 IP65 WHT 12-PACK
0090035	SYLSPOT 500LM 840 IP65 WHT 12-PACK
0090036	SYLSPOT 550LM 3-CCT IP44 D WH 12-PACK
0090037	SYLSPOT 550LM 3-CCT IP65 D WH 12-PACK

Nigel Box Technical Director