

Concord

OPTIX SURFACE 1200x200 2 LINE D/I HO 4000K WHT DALI EM

2023752



Produkteigenschaften

• OPTIX SURFACE 1200x200 2 LINE D/I HO 4.000 K WHT DALI EM ist eine hocheffiziente, blendfreie Leuchte für Büro- und Bildungsanwendungen. Direkt-/Indirektbeleuchtung mit 80 % Downlight- und 20 % Uplightanteil für die abgehängte Deckenmontage. Größe: 1129x200x45 mm. Weiße, blendungsarme Kunststoffoptik in 2-Linien-Konfiguration. Weißes Gehäuse in RAL9016. DALI dimmbar. Version für 3 Stunden Notbetrieb. 4.000 K neutralweiße LED, CRI>80, Chromatizitätstoleranz der MacAdam-Ellipse in 3 Stufen. Lichtstrom 5600 lm. Leistungsaufnahme 38 W. Sys...

CIBSE TM66

Result					
Category	Points Scored	Maximum possible points	Assessment	How to analyse the score	
Product design	76	134.0	2.3	0.0 to 0.5	Very poor circular economy performance
Manufacturing	23.4	46.5	2	0.5 to 1.5	Some circular economy functionality
Materials	7	24.0	1.2	1.5 to 2.5	Definite/substantial progress to circularity
Ecosystem	21	43.0	2	2.5 to 4.0	Excellent circularity
Overall performance	127.4	247.5	1.88		

Technical Memorandum (TM) 66 describes a Circular Economy’s main aims, how it can be achieved and what it’s practice will mean to the different branches of our industry like specifiers, manufacturers, contractors, and Facilities Managers.

The Circular Economy Assement Method for Manufacturing (CEAM-Make)’s list of 66 searching questions, the majority of which askfor back-up evidence, is split into four sections :

- Product Design : Covering topics such as design for long life and repair
- Manufacturing : Additive and subtractive techniques and localisation
- Materials : Usage of recyclable materials rather than virgin
- Ecosystem : Repair or upgrade services to complement circular economy design

The outcome of the assement is a single figure rating by which product comparisons can be made. A TM66 score demonstrates a product’s performance in the context of a Circular Economy

CIBSE (2021) Circular Economy Assessment Method - Make TM66 Digital Tool beta version 22nd October 2021 (London : Chartered Institution of Building Services Engineers)