SYLVANIA

Quantum IP54 1200x300 DALI 4500lm 840 0044645



Features

• Quantum is a range of recessed integrated LED panels for general indoor lighting applications such as breakout areas, offices and meeting rooms. Max. drive current: 600mA; Max. power: 28W; Lifespan: 120.000Hrs L70:B50; 4000K; CRI 80; Efficacy up to: 161Lm/W; Fixture lumen: 4500lm; Lumen output using EM kit: ~500lm; Glare control <19; IK03; IP54 (from the front); Class II; DALI dimmable. Tp(a) rated diffuser that self-estinguishes within 5 sec when a flame has been removed.

CIBSE TM66

esult						
Category	Points Scored	Maximum possible points	Assessment		How to analyse the score	
Product design	65	134.0	1.9	0.0	to 0.5	Very poor circular economy performar
Manufacturing	17.1	46.5	1.5	0.5	to 1.5	Some circular economy functionality
Materials	4	24.0	0.7	1.5	to 2.5	Definite/substantial progress to circula
Ecosystem	18	43.0	1.7	2.5	to 4.0	Excellent circularity
Overall performance	104.1	247.5	1.45			

Technical Memorandum (TM) 66 describes a Circular Economy's main aims, how it can be achieved and what it's practice will mean to the different branches of our industry like specifiers, manufacturers, contractors, and Facilities Managers.

The Circular Economy Assement Method for Manufacturing (CEAM-Make)'s list of 66 searching questions, the majority of which askfor back-up evidence, is split into four sections :

Product Design :	Covering topics such as design for long life and repair
Manufacturing :	Additive and subtractive techniques and localisation
Materials :	Usage of recyclable materials rather than virgin
Ecosystem :	Repair or upgrade services to complement circular economy design

The outcome of the assement is a single figure rating by which product comparisons can be made. A TM66 score demonstrates a product's performance in the context of a Circular Economy

CIBSE (2021) Circular Economy Assessment Method - Make TM66 Digital Tool beta version 22nd October 2021 (London : Chartered Institution of Building Services Engineers)

Light your world