

Profile recess 20 (30x20) 2m SET
0021570



Features


- The Profile recess 20 2m SET consists of 2m anodised profile , opal diffuser , 2 end caps and 4 holders

Product Overview

Product name	Profile recess 20 (30x20) 2m SET
Technology	Non - Electrical Device
Housing	Aluminium
General application	Hospitality, Retail
ETIM Class	EC002557
E-number FI	4278548
Photobiological Risk Group	Not applicable
Housing colour	Silver
IP rating	IP00
IK rating	IK00
Product EAN number	5410288215709
Warranty	3 years

Profile recess 20 (30x20) 2m SET
0021570

Technical drawings



Data table

GENERAL DATA

Product name	Profile recess 20 (30x20) 2m SET
Technology	Non - Electrical Device
Accessory type	Mounting, Decorative
Type of accessory	Installation set
Housing	Aluminium
General application	Hospitality, Retail
Operating temperature range (°C)	25°C...+0°C
ETIM Class	EC002557
E-number FI	4278548
Warranty	3 years

OPTICAL DATA

Photobiological Risk Group	Not applicable
----------------------------	----------------

ELECTRICAL DATA



Profile recess 20 (30x20) 2m SET
0021570

Control gear required	No
-----------------------	----

PHYSICAL DATA

Housing colour	Silver
IP rating	IP00
IK rating	IK00
Diffuser finish	Opal
Nominal Product Length (mm)	2000
Nominal Product Width (mm)	30
Nominal Product Height (mm)	20.4
Weight (kg)	0.51

PACKAGING

Product EAN number	5410288215709
Packaging single length / height (cm)	200.5
Packaging single width (cm)	1.9
Packaging single depth (cm)	1.9
DUN14 (inner)	15410288215706
Units per outer package	30
Packaging outer length / height (cm)	210.0
Packaging outer width (cm)	17.0
Packaging outer depth (cm)	17.5

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No